



Sustainable Development and CCS
New York, NY
September 10-11, 2007

Safety and Monitoring of CO₂ Storage Projects

Professor Sally M. Benson
Energy Resources Engineering Department
Executive Director, Global Climate and Energy Project
Stanford University



Outline




- Fundamentals of storage safety and security
 - Natural analogs
 - Oil and gas reservoirs
 - CO₂ reservoirs
 - Industrial analogues
 - Natural gas storage
 - CO₂ enhanced oil recovery
 - Environmental risks of geological storage
 - Risk management and mitigation
 - Storage security pyramid
 - Monitoring
 - CCS development pathway
-



Expert Opinion about Storage Security from the IPCC Special Report on CO₂ Capture and Storage

*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

*“ With **appropriate site selection** informed by available subsurface information, a **monitoring program** to detect problems, a **regulatory system**, and the **appropriate use of remediation methods** to stop or control CO₂ releases if they arise, the local health, safety and environment risks of geological storage would be comparable to risks of current activities such as natural gas storage, EOR, and deep underground disposal of acid gas.”*




IPCC Special Report on CO₂
Capture and Storage, 2005



What Keeps the CO₂ Underground?

- Injected at depths of 1 km or deeper into rocks with tiny pore spaces



- Primary trapping
 - Beneath seals made of fine textured rocks that provide a membrane and permeability barrier
- Secondary trapping
 - CO₂ dissolves in water
 - CO₂ is trapped by capillary forces
 - CO₂ converts to solid minerals






Evidence to Support these Conclusions




- Natural analogs
 - Oil and gas reservoirs
 - CO₂ reservoirs
- Performance of industrial analogs
 - 30+ years experience with CO₂ EOR
 - 100 years experience with natural gas storage
 - Acid gas disposal
- 20+ years of cumulative performance of actual CO₂ storage projects
 - Sleipner, off-shore Norway, 1996
 - Weyburn, Canada, 2000
 - In Salah, Algeria, 2004





Natural Gas Storage



- Seasonal storage to meet winter loads
- Storage formations
 - Depleted oil and gas reservoirs
 - Aquifers
 - Caverns




Role of Natural and Industrial Analogs



- Natural analogues


- Proof that long term storage of buoyant fluids is possible
- Identification of geological formations that can store CO₂
- Understanding of geochemical interactions between CO₂ and rocks
- Identification of features that cause leakage



Proof that storage is possible.

- Industrial analogues

- Demonstrated ability to extract and inject fluids
- Health, safety and environmental performance
- Injection technology
- Modeling and monitoring technology



Demonstration of how to do it.



What Does a Good Storage Project Look Like?



- Three examples
 - Sleipner, off-shore Norway
 - Weyburn, Canada
 - In Salah, Algeria
- CO₂ remains in the storage reservoir
- Formation pressures remain below the fracture gradient
- Wellbore integrity is maintained
- Monitoring demonstrates satisfactory performance
- No serious accidents




Sleipner Saline Aquifer
Storage Project



Weyburn CO₂-EOR and Storage Project



- 2000 to present
- 1-2 Mt/year CO₂ injection
- CO₂ from the Dakota Gasification Plant in the U.S.






In Salah Gas Project



Gas Processing and CO₂ Separation Facility




In Salah Gas Project
- Krechba, Algeria
Gas Purification
- Amine Extraction
1 Mt/year CO₂ Injection
Operations Commence
- June, 2004





What Could Go Wrong?



Potential Release Pathways

- Well leakage (injection and abandoned wells)
- Poor site characterization (undetected faults)
- Excessive pressure buildup damages seal

Potential Consequences

1. Worker safety
 - Industrial operations accidents
 - CO₂ exposure due to leakage from surface and subsurface facilities
2. Groundwater quality degradation
 - CO₂ and geochemical reaction products
 - Brine or gas displacement, including dissolved or separate phase hydrocarbons
3. Resource damage
 - Migration to oil and gas fields
 - Migration to minable coal
4. Ecosystem degradation
 - Terrestrial plants and animals
 - Aquatic plants and animals
5. Public safety
 - CO₂ exposure due to leakage from surface and subsurface facilities
6. Structural damage
 - Induced seismicity
 - Differential land surface subsidence or inflation
7. Release to atmosphere



Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a **monitoring program** to detect problems, a **regulatory system**, and the **appropriate use of remediation methods**...”*

IPCC, 2005

*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005





Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a monitoring program to detect problems, a **regulatory system**, and the **appropriate use of remediation methods...**”*

IPCC, 2005


*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005





Primary and Secondary Trapping Mechanisms





Geological Storage Safety and Security Pyramid




“ With *appropriate site selection* informed by available subsurface information, a monitoring program to detect problems, a *regulatory system*, and the *appropriate use of remediation methods*...”

IPCC, 2005




“... the fraction retained in *appropriately selected and managed* geological reservoirs is likely to exceed 99% over 1,000 years.”

IPCC, 2005





Site Characterization and Site Selection





Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a monitoring program to detect problems, a **regulatory system**, and the **appropriate use of remediation methods...**”*

IPCC, 2005


*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005





Increasing Injectivity with Long Reach Horizontal Wells



Courtesy of BP



Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a monitoring program to detect problems, a **regulatory system**, and the **appropriate use of remediation methods...**”*

IPCC, 2005

*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005





Conclusions from Safety Analysis



- Industrial analogues suggest that CCS activities will have
 - Accident rates less than overall industry average
 - When accidents occur, they are more likely to result in days away from work than the industry average
 - Fatality rates typical of heavy industry
 - Well blowouts are rare events

Risks of CCS will be comparable to many workplace activities taking place today.



Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a monitoring program to detect problems, a **regulatory system**, and the **appropriate use of remediation methods...**”*

IPCC, 2005


*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005







Seismic Monitoring Data from Sleipner



Sleipner Aquifer Storage Project



Photo and image, courtesy of Statoil



From Andy Chadwick, 2004



Surface Monitoring





Flux Tower

Hyperspectral Imaging of Vegetation



Soil Gas

Detection Verification Facility
(Montana State University)



Field Site


Horizontal Injection Well



Flow Controllers



Monitoring Methods





Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a monitoring program to detect problems, a **regulatory system**, and the **appropriate use of remediation methods...**”*

IPCC, 2005


*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005





Reliable Remediation Methods Needed for Each Leakage Scenario



Potential Escape Mechanisms

A. CO ₂ gas pressure exceeds capillary pressure & passes through siltstone	B. Free CO ₂ leaks from A. into upper aquifer up fault	C. CO ₂ escapes through 'gap' in cap rock into higher aquifer	D. Injected CO ₂ migrates up dip, increases reservoir pressure & permeability of fault	E. CO ₂ escapes via poorly plugged old abandoned well	F. Natural flow dissolves CO ₂ at CO ₂ / water interface & transports it out of closure	G. Dissolved CO ₂ escapes to atmosphere or ocean
--	--	---	--	---	--	--

Remedial Measures

A. Extract & purify ground-water	B. Extract & purify ground-water	C. Remove CO ₂ & reinject elsewhere	D. Lower injection rates or pressures	E. Re-plug well with cement	F. Intercept & reinject CO ₂	G. Intercept & reinject CO ₂
---	---	---	--	------------------------------------	--	--

Source: IPCC, 2005



Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a monitoring program to detect problems, a **regulatory system**, and the **appropriate use of remediation methods...**”*

IPCC, 2005

*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005






Regulatory Oversight



- Oversight of due diligence
 - Site selection
 - Operational parameters
 - Monitoring
 - Remediation plans
 - Site closure
- Transparency
- Confidence building

The regulatory regime for CCS is being considered. Long term stewardship needs to be resolved



From IPCC, 2005



Geological Storage Safety and Security Pyramid




*“ With **appropriate site selection** informed by available subsurface information, a monitoring program to detect problems, a **regulatory system**, and the **appropriate use of remediation methods...**”*

IPCC, 2005


*“... the fraction retained in **appropriately selected and managed** geological reservoirs is likely to exceed 99% over 1,000 years.”*

IPCC, 2005






Risk Profile of a Storage Project





Phased Approach to Financial Responsibility





Integrated Technology Development Pathway

